


COPPER NICKEL BARS

imperial sizes - BS 2872 / ASTM B151 / MIL-C-15726

hexagonals




Hexagonals				
H		Theoretical weight		
inch	mm	Kg/m	Lb/Ft	
1.375	34.93	9.60	6.45	
1.625	41.27	13.40	9.00	
2.000	50.80	20.30	13.64	
2.350	57.15	25.69	17.26	
2.562	65.08	33.32	22.38	
3.000	76.20	45.68	30.69	
3.500	88.90	62.18	41.77	

COPPER NICKEL BARS

imperial sizes - BS 2872 / ASTM B151 / MIL-C-15726

rounds




Rounds				
D		Theoretical weight		
inch	mm	Kg/m	Lb/Ft	
0.250	6.35	0.29	0.19	
0.375	9.53	0.65	0.43	
0.500	12.70	1.15	0.77	
0.625	15.87	1.79	1.21	
0.750	19.05	2.59	1.74	
0.875	22.22	3.52	2.36	
1.000	25.40	4.60	3.09	
1.125	28.58	5.83	3.91	
1.250	31.75	7.19	4.83	
1.375	34.93	8.70	5.85	
1.500	38.10	10.35	6.96	
1.750	44.45	14.09	9.47	
2.000	50.80	18.41	12.37	
2.250	57.15	23.3	15.65	
2.375	60.32	25.95	17.43	
2.500	63.50	28.76	19.32	
2.750	69.85	34.80	23.38	
3.000	76.20	41.42	27.82	
3.500	88.90	56.37	37.87	
4.000	101.60	73.63	49.46	
4.500	114.30	93.18	62.60	
5.000	127.00	115.05	77.29	
5.500	139.70	139.21	93.52	
6.000	152.40	165.67	111.29	
7.000	177.80	225.49	151.49	
8.000	203.20	294.52	197.86	
9.000	228.60	372.76	250.42	
10.00	254.00	460.19	309.16	
11.00	279.40	556.83	374.08	
12.00	304.80	662.68	445.19	

COPPER NICKEL BARS

metric sizes - **DIN 17664 / BS 2872 / ASTM B151**

hexagonals




Hexagonals	
H mm	Theoretical weight Kg/m
12	1.11
14	1.51
17	2.27
19	2.78
22	3.73
24	4.43
27	5.4
30	6.97
32	7.92
36	9.96
37	10.77
38	11.13
40	12.35
41	12.98
42	13.59
46	16.30
50	19.36
55	23.40
60	27.90
65	32.60
70	38.55
75	44.25
80	49.53
85	55.93

SITINDUSTRIE MARINE

COPPER NICKEL BARS

metric sizes - DIN 17664 / BS 2872 / ASTM B151

rounds




Rounds	
D mm	Theoretical weight Kg/m
10	0.70
15	1.58
20	2.80
25	4.39
30	6.32
35	8.60
40	11.20
45	14.20
50	17.55
55	21.20
60	25.30
65	29.70
70	34.40
75	39.40
80	44.90
85	50.70
90	56.90
95	63.10
100	69.87
105	77.03
110	84.54
115	92.40
120	100.61
125	109.00
130	118.00
140	136.00
150	157.00
160	179.00
170	206.00
180	228.00
190	257.50
200	280.00
250	445.80
285	570.5

COPPER NICKEL BARS

metric sizes - DIN 17664 / BS 2872 / ASTM B151

squares




Squares	
C mm	Theoretical weight Kg/m
20 x 20	3.57
30 x 30	8.05
40 x 40	14.26
50 x 50	22.35
60 x 60	32.25
70 x 70	43.80
80 x 80	57.16
90 x 90	72.44
100 x 100	89.50
10 x 10	0.90

COPPER NICKEL BARS

metric sizes - DIN 17664 / BS 2872 / ASTM B151

flats



Flats		
L x l mm		Theoretical weight Kg/m
20 x 10		1.70
30 x 10		2.67
40 x 10		3.57
40 x 20		7.13
45 x 30		12.05
50 x 20		8.90
60 x 20		10.75
60 x 30		16.13
60 x 40		21.90
80 x 20		14.30
80 x 40		28.57
90 x 30		24.15
90 x 60		48.30
100 x 50		44.75
100 x 70		62.45
120 x 30		32.12
120 x 40		42.82
120 x 60		64.23
120 x 80		85.65